| Ref<br># | Hits  | Search Query   | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|-------|--|---|---------------------|---------|------------------|
| S1       | 91    | "adaptive computing engine"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/08/22 17:50 |
| S2       | 76581 | (programmable configurable reprogrammable reconfigurable adapt\$4) NEAR2 (input output input/output)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/08/22 17:52 |
| S3       | 31578 | (programmable configurable reprogrammable reconfigurable adapt\$4) NEAR0 (input output input/output)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR .                | OFF     | 2005/08/22 17:53 |
| S4       | 15407 | (programmable configurable reprogrammable reconfigurable adapt\$4) adj0 (input output input/output)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF .   | 2005/08/22 17:53 |
| S5       | 5494  | ((programmable configurable reprogrammable reconfigurable adapt\$4).ab.) AND ((programmable configurable reprogrammable reconfigurable adapt\$4) adj0 (input output input/output))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/08/22 18:03 |
| S6       | 4731  | ((programmable configurable reprogrammable reconfigurable adapt\$4).ab.) AND (((programmable configurable reprogrammable reconfigurable adapt\$4) adj0 (input output input/output)) SAME (send\$3 transmit\$3 output\$1))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/08/22 18:07 |
| S7       | 303   | ((programmable configurable reprogrammable reconfigurable adapt\$4).ab.) AND (((programmable configurable reprogrammable reconfigurable adapt\$4) adj0 (input output input/output)) SAME (send\$3 transmit\$3)) AND (((programmable configurable reprogrammable reconfigurable adapt\$4) adj0 (input output input/output)) SAME (receiv\$3)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR .                | OFF     | 2005/08/22 18:11 |

| S8  | 12122 | (input output "input/output").ab. AND (("input/output") NEAR2 (controller processor interface))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/08/24 11:36 |
|-----|-------|---|---|----|-----|------------------|
| S9  | 11    | (input output "input/output").ab. AND ((("input/output") NEAR2 (controller processor interface)) SAME ((translate\$1 convert\$1 change\$1 alter\$1 transform\$1) adj1 (instruction opcode command)))                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/08/24 11:39 |
| S10 | 20    | (input output "input/output").ab. AND ((("input/output") NEAR2 (controller processor interface)) SAME ((translate\$1 convert\$1 change\$1 alter\$1 transform\$1) adj2 (instruction opcode command)))                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/08/24 11:40 |
| S11 | 232   | (input output "input/output").ab. AND (((bus input output "input/output") NEAR2 (controller processor interface)) SAME ((translate\$1 convert\$1 change\$1 alter\$1 transform\$1) adj2 (instruction opcode command))) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/08/24 11:42 |
| S12 | 96    | (input output "input/output").ab. AND (((bus memory "input/output") NEAR2 (controller processor interface)) SAME ((translate\$1 convert\$1 change\$1 alter\$1 transform\$1) adj2 (instruction opcode command)))       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/08/24 11:42 |